Abbreviations

RP - Radiation Protection SCA - Safety and Control Area LC - Licence Condition

GN - General Nuclear Safety and Control SSR-6 - IAEA Safety Standards 2012 Edition PTNS, 2015 - Packaging and Transport of Nuclear Substances, 2015 TDG - Transport of Dangerous Goods Regulations **Type II Inspection Worksheet** NSCA - Nuclear Safety and Control Act NSRD - Nuclear Substances and Radiation Devices CII - Class II Nuclear Facility and Prescribed Equipment

Use Type: 816 - logging - sealed source

Licensee:				Report Number:		
Licence Number:				Inspection Date:		
Address:				Inspector Name:		
City:		Province:	Postal Code:	Use Type Number:	816	
Person Seen:		Phone Number:		Risk Group:	3.00	
Description	Regulatory Requirements	Compliance Expectations				Risk
Work Doc: 1 TII - Records			The former of the design of th		Angling of Anthonity and Cinetian	
Change notified	GN 15 (c)	Authority) have been reported			Applicant Authority and Signing	Μ
Rating:	Comments:					
Inventory	NSRD 36 (1) (a)	A complete nuclear substance	and radiation device invent	ory is available.		М
Rating:	Comments:					
Records retained	NSRD 36 (1) (c), (e), (3), (4)	 (1)(c) Records of transfer, rece (1)(e) Records of inspection, n (3), (4) Records of inspection, 	neasurement, test and servi		/ears.	L
Rating:	Comments:		·			
Licence details	NSCA 26	Licence activities are conducte	ed in accordance with the lic	ence.		н
Rating:	Comments:					
Annual Compliance Report	LC 2916	The licensee submits the annu licence is valid.	al compliance report in the	form specified in the appendix o	of the licence for each year the	М
Rating:	Comments:					
Records retained	GN 28	(2) The CNSC was notified 90	days prior to the disposal of	f any prescribed records.		L
Rating:	Comments:					
Transfer documents	NSRD 19	 (1) A copy of the most recent leak test result is provided for all transfers of radiation devices as well as instructions to follow in the event of an accident. (2) A copy of the most recent leak test result is provided for all transfers of sealed source or nuclear substance used as shielding. 		L		
Rating:	Comments:					
Authorized transfer	GN 13	All transfers of nuclear substan	nces or radiation devices ha	ve been done to authorized lice	ensees.	н
Rating:	Comments:					

'k Doc: 1 TII - Records			
Leak test	NSRD 18 (1) (a), (b), (d)	Leak testing is performed at the required frequency following acceptable procedures.	L
Rating:	Comments:		
Leak test/event	NSRD 18 (1) (c)	Leak testing was performed immediately after any event that may have damaged the sealed source(s).	L
Rating:	Comments:		
Failed leak test	NSRD 18 (3)	Appropriate actions were taken upon detection of a leaking source.	М
Rating:	Comments:		
Reportable events	GN 29	Incidents and unplanned events have been immediately reported to the CNSC and a detailed written report was submitted within 21 days (refer to NSRD 38).	Н
Rating:	Comments:		
Reporting requirements	PTNS 37-38-40	 The consignor, the carrier and the consignee must provide an immediate report to the CNSC (PTNS 37 (1)) and a 21 day report (PTNS 38) when becoming aware of any of the following situations: failure to comply with the requirements of section 26; a conveyance carrying radioactive material is involved in an accident; package damage or tampering or leaking; radioactive material lost, stolen or loss of control; radioactive material has escaped from a containment system, a package or a conveyance during transport; failure to comply with the Act and Regulations can lead to a situation in which the environment, the health and safety of persons or national security is adversely affected; the level of non-fixed contamination as defined in the IAEA Regulations, during transport exceeds limits; licensee has provided reports of damage or tampering discovered while opening packages as per PTNS 40(4), (5), (6). 	Н
Rating:	Comments:		
Training and sufficient workers	GN 12 (1) (a), (b)	There are (a) a sufficient number of trained and (b) qualified workers to carry on licensed activity.	М
Rating:	Comments:		
Worker records retained	NSRD 36 (1) (b), (d), (2)	 (1)(b) The name of each worker who handles nuclear substances and/or radiation devices is recorded. (1)(d) Training records for all workers who handle nuclear substances and/or radiation devices are available. (2) Worker training records are kept on file for three years after termination. 	М
Rating:	Comments:		
Work Procedures	LC 2393-1	Work and radiation emergency procedures are available to workers wherever nuclear substances are used or stored.	М
Rating:	Comments:		
TDG training certificate on file	TDG 6.6, 6.7	A copy of the TDG training certificate is kept on file for two years and is available to the inspector.	М
Rating:	Comments:		
List of NEWs	RP 24	A record including names and job category of each NEW is available.	L
Rating:	Comments:		
Nuclear Energy Workers informed	RP 07	 (1) Each NEW has been informed in writing of their NEW designation, of the risks associated with their work, of the regulatory dose limits and of their individual dose. (2) Female NEW has been informed in writing of their rights (RP 07) and obligations (RP 11). (3) A signed acknowledgment form is available for each NEW. 	Μ
Rating:	Comments:		

Ascertainment and recording of	RP 05	(1) Personnel doses are ascertained and recorded.	
doses	KF 00	(1) Personnel doses are accertained and recorded. (2) Doses are determined by (a) direct measurement or (b) estimation.	
Rating:	Comments:		
Dose limits/body	RP 13 (1)	Dose limits not exceeded.	
Rating:	Comments:		
Action Levels	LC 2700	Upon becoming aware of an action level, specified in the Appendix: Licence documents, has been reached the licensee: (a) investigated the situation, (b) took the necessary corrective action, and (c) notified the CNSC within 48 hr.	
Rating:	Comments:		
Licensed dosimetry	RP 08	A licensed dosimetry service is used where the effective dose of a NEW will likely exceed 5 mSv in a one-year period.	
Rating:	Comments:		
Meter calibrated	NSRD 20	Survey meter that is used has been calibrated within the previous twelve months of its use.	
Rating:	Comments:		
Shipping doc kept 2 years	TDG 3.11	Shipping documents kept on file for two years.	
Rating:	Comments:		
Operation notification	LC 2524-0	The CNSC is notified of each job site when requested.	
Rating:	Comments:		
Storage notification	LC 2298-1	Upon requested by the CNSC, the licensee notified the CNSC of the storage site of each nuclear.	
Rating:	Comments:		
Competent authority certificates	PTNS 25 (2)(c)	Consignor has competent authority certificates for applicable sources and packages (refer to SSR-6 561).	
Rating:	Comments:		
Type A package certification	PTNS 42	Type A package design, test results and packaging instructions kept on file for two years after last shipment.	
Rating:	Comments:		
Act/Regs available	GN 12 (1) (k)	A copy of the Act and Regulations (paper or electronic copy) are readily available to all workers.	
Rating:	Comments:		
Logging Source Recovery Notification	LC 2017-2	The CNSC is notified prior to source recovery operations.	
Rating:	Comments:		
Logging source abandonment approval	LC 2375-0	Written authorization from the CNSC is obtained prior to abandoning a sealed source.	
Rating:	Comments:		
Logging Source Abandoned Report	LC 2026-3	A written report was submitted to the CNSC for any abandoned sealed source. All required information listed in this condition was provided.	
Rating:	Comments:		
Logging Source Requirements	LC 2185-4	Only sealed sources that meet the criteria listed in the licence condition are used or imported.	
Rating:	Comments:		

Work	Doc: 1 TII - Records			
	Sealed Source Tracking (General)	LC 2406-16	The CNSC is notified of any transfer, receipt, export or import of a sealed source in accordance with the licence condition.	н
	Rating:	Comments:		
	Export restrictions/sealed sources	LC 2408-8	Export of sealed sources is within the limits specified in the licence condition. An export licence has been issued for any exports of sealed sources exceeding the limits specified in the licence condition.	Н
	Rating:	Comments:		
	Import Export Restrictions	LC 2480	The licensee is not authorized to import or export all items described in the schedule, Parts A and B, of the Nuclear Non-proliferation Import and Export Control Regulations, and specifically listed in the licence condition.	Н
	Rating:	Comments:		
Work	Doc: 2 TII - Operation/Storage			
	Posting of Signs	RP 21	A radiation warning symbol is posted: (a) at the boundary of and at every point of access where there is more than 100 times the Exemption Quantity (EQ) of nuclear substances; or (b) where the radiation dose rate could exceed 0.025 m μSv/h.	Н
	Rating:	Comments:		
	Contact details posted	NSRD 23	The name or job title and a 24 hr. telephone number are posted in a readily visible location where the nuclear substance is stored or used (refer to RP 21).	Н
	Rating:	Comments:		
	Worker's obligations	GN 17	 Every worker: (a) uses equipment, devices, facilities and clothing in a responsible and reasonable manner in accordance with the Act, Regulations and Licence Conditions; (b) complies with procedures and measures established by the licensee; (c) informs the licensee or supervisor of any situation where there may be: (i) an increase in the risk to the environment or the health and safety of persons; (ii) a threat to security; (iii) a failure to comply with regulatory requirements; (iv) sabotage, theft, loss or illegal use or possession of prescribed equipment, or (v) a release into the environment not authorized by the licence; (d) observes and obeys all notices and warning signs; and (e) takes all reasonable precautions to ensure the safety and security of individuals, the environment and the nuclear substances or facilities. 	н
	Rating:	Comments:		
	Radiation Warning Sign Rating:	RP 22 Comments:	When a radiation warning symbol is used, it is posted in accordance with regulations.	L
	Frivolous posting of signs	RP 23	Radiation warning symbols are not posted where there is no radiation, nuclear substance or prescribed equipment.	L
	Rating:	Comments:		
	Storage	LC 2575-2	 (a) Access to storage areas containing nuclear substances or radiation devices is restricted to authorized personnel. (b) Dose rates at occupied areas outside storage areas do not exceed 2.5 μSv/hr. (c) Dose limits are not exceeded as a result of nuclear substances or radiation devices in storage. 	Н
	Rating:	Comments:		
	Security indicators	GN 12 (1) (c), (g), (h), (i), (j)	Provisions are in place to ensure the security of nuclear substances and radiation devices and the health and safety of persons. This may be achieved through restricted access (for example use of locks, alarms, and security systems) and reporting of incidents including loss, theft and sabotage.	Н
	Rating:	Comments:		

k Doc: 2 TII - Operation/Storage			
Sealed Source Security Requirements	LC 2490-1	Licensees have in place security measures including: - Inventory accounting - Access control measures - Up-to-date security plan - Information security measures - Intrusion detection with monitoring and testing - Response protocol - Secure storage of substances and devices - Security awareness program - Vehicle security measures	Н
Rating:	Comments:		
Post licence	GN 14	(1) A copy of the licence or an appropriate notice is posted in a conspicuous place at the site of the licensed activity.(2) The complete licence is available at field locations.	L
Rating:	Comments:		
Container/Device labelled	RP 20	Each container or device containing greater than one Exemption Quantity of nuclear substance(s) is labelled with the radiation warning symbol and the required wording.	Н
Rating:	Comments:		
Use of equipment & procedures	GN 12 (1) (e)	Licensee ensures equipment, clothing and procedures are used appropriately at the site of the licensed activity.	Н
Rating:	Comments:		
Record requirements (>90 days at sites)	LC 2350-2	Records and operational procedures are available at storage/use locations (greater than 90 consecutive days).	L
Rating:	Comments:		
Device provided & maintained	GN 12 (1) (d)	Required devices have been provided and have been maintained according to manufacturer's instruction.	М
Rating:	Comments:		
Location notification	LC 2300-2	CNSC was informed in writing, within seven days, of sites where licensed activities were conducted for more than 90 days. Discontinuance of such sites was also reported within 7 days.	М
Rating:	Comments:		
Operation Limitations - General	LC 2917	Activities and procedures, as listed in the licence appendix, are followed.	L
Rating:	Comments:		
Inaccuracies Notification	LC 2920-6	Changes to documents listed in the licence appendix have been reported to the CNSC.	L
Rating:	Comments:		
Survey Meter Requirements	LC 2058-1	A properly functioning survey meter is available at all times.	М
Rating:	Comments:		
ALARA/RP program	RP 04 (a)	The licensee has implemented a radiation protection program that keeps doses ALARA and includes: (i) management control over work practices; (ii) personnel qualification and training; (iii) control of occupational and public exposure to radiation; and (iv) planning for unusual situations.	Н
Rating:	Comments:		

Radiation safety	NSRD 17	Referenced emergency procedures are available to workers at the site of licensed activity.	N
Rating:	Comments:		
Doc: 4 TII - Packaging and Transpor	ť		
Type A package requirements	PTNS 28 (1)	A Type A package must be prepared and labelled in accordance of PTNS 28(1) and associated requirements from SSR-6. Package requirements are as follows: - contact dose rate below 2 mSv/h (non-exclusive use) - SSR-6 527; - name of consignor or consignee package - SSR-6 531; - shipping name - SSR-6 532 and TDG 4.11; - activity within limits - PTNS 26(2) and SSR-6 428; - UN number - SSR-6 532 and TDG 4.12; - "Type A" marking - SSR-6 534(b); - VRI code - SSR-6 534(c); - two (I-white, II-Yellow or III-Yellow) labels - SSR-6 538, 539, and TDG 4.6, 4.7; - identify the radionuclide on labels -SSR-6 540 (a); - maximum activity on labels - SSR-6 540 (b)(c) and TDG 4.14; - transport index on labels (II-Yellow and III-Yellow) - SSR-6 540(d) as determined by SSR-6 523-524; - package integrity must not be compromised - PTNS 24(a) and SSR-6 306(b).	
Rating:	Comments:		
Excepted packages content/activity	PTNS 26(1)(a)	 Excepted packages meet the following criteria: dose rate below 0.005 mSv/h – PTNS 25(4)(a) and SSR-6 516; activity within limits of PTNS 26(2) and SSR-6 422; consignor or consignee I.D PTNS 28(1)(i) and SSR-6 531; UN number on package - PTNS 28(1)(i) and SSR-6 532; package must be accompanied by a shipping document (a log kept by driver is acceptable for UN 2909, 2910, 2911) that identifies the shipping name and UN number - PTNS 29(2)(a) and TDG 1.43; "RADIOACTIVE" visible inside package(UN2910) upon opening - PTNS 26(1)(a)(i) and SSR-6 424(b)(i). For UN 2908 (Empty Packages): contamination inside an empty package does not exceed 100 times the levels specified in SSR-6 427(c) and PTNS 26(1)(a)(i); Labels removed PTNS 26(1)(a)(i) and SSR-6 427(d); package integrity must not be compromised – PTNS 26(1)(a) and SSR-6 306(b). 	
Rating:	Comments:		
Transport document requirement	PTNS 29(1)	The consignor of radioactive material provides a shipping document that includes the following (refer to TDG 3.5 and SSR-6 546): - consignor and consignee names and addresses; - 24 hour contact number; - number of packages; - UN number*; - shipping name*; - Class # 7*; - Class # 7*; - radionuclide identification*; - form*; - maximum activity*; - category of package*; - transport index*; - competent authority certificate number(s)*. For consignments of more than one package, the required information (*) must be given for each package. - Consignor's certification with printed name of the consignor - PTNS 25(1), TDG 3.6.1.	
Rating:	Comments:		
Transport document location	TDG 3.7	Shipping document is located within driver's reach or in a door pocket on the driver's side.	
	Comments:		

Doc: 4 TII - Packaging and Transp Package secured in vehicle	PTNS 25 (4)	Consignments are segregated and securely stowed (refer to SSR-6 562, 564, 574 - PTNS 25(1) and TDG 5.4). Category	
r ackage secured in vehicle	1 1105 25 (4)	II-Yellow and III-Yellow packages are not carried in compartments occupied by passengers - SSR-6 563.	
Rating:	Comments:		
Vehicle placarded	TDG 4.15	Vehicle must be placarded on four sides when: - package is III-Yellow 4.16.1(2)(i); - package weight exceeds 500 kg; or - exception of PTNS 28(2)(a) is used.	
Rating:	Comments:		
Showing proof of TDG training	PTNS 25 (1)	A person handling dangerous goods must provide their training certificate or copy of it to an inspector immediately upon request (TDG 6.8).	_
Rating:	Comments:		
TDG training certificate	TDG 6.1, 6.3, 6.5	The employer is responsible for: 6.1(2)(a) ensuring that only an adequately trained worker who holds a valid TDG certificate handle Class 7 dangerous goods ; or 6.1 (2)(b) performs those activities in the presence and under the direct supervision of a person who is adequately trained and who holds a training certificate in accordance with this Part. 6.3 issuing training certificate that includes: - the employee's business address; - the employee's name; - aspects of handling and transporting; - employee and employer signatures; and - the expiry date of the certificate (TDG 6.5).	
Rating:	Comments:		

Disclaimer - CNSC licensees may use this worksheet voluntarily to ascertain the CNSC's general expectations regarding regulatory requirements. Such requirements would generally be assessed during a Type I and Type II Inspection of licences issued pursuant to the Nuclear Substances and Radiation Devices Regulations. The expectations listed for each regulatory requirement are only provided as a guide. Similar worksheets will be used by CNSC staff for on-site inspections, will, however, be carried out on a case-by-case basis in the context of the licensed activities and the circumstances of individual situations. This worksheet is not intended to limit the scope of CNSC inspections or the powers of CNSC inspectors. Licensees should contact the CNSC to obtain information regarding their specific regulatory requirements.

Canadian Nuclear Commission canadienne Safety Commission de sûreté nucléaire

APPENDIX A RATING SYSTEM (GRADES)

A - Exceeds requirements

Assessment topics or programs meet and consistently exceed applicable CNSC requirements and performance expectations. Performance is stable or improving. Any problems or issues that arise are promptly addressed, such that they do not pose an unreasonable risk to the maintenance of health, safety, security, environmental protection, or conformance with international obligations to which Canada has agreed.

B - Meets requirements

Assessment topics or programs meet the intent or objectives of CNSC requirements and performance expectations. There is only minor deviation from requirements or the expectations for the design and/or execution of the programs, but these deviations do not represent an unreasonable risk to the maintenance of health, safety, security, environmental protection, or conformance with international obligations to which Canada has agreed. That is, there is some slippage with respect to the requirements and expectations for program design and execution. However those issues are considered to pose a low risk to the achievement of regulatory performance requirements and expectations of the CNSC.

C - Below requirements

Performance deteriorates and falls below expectations, or assessment topics or programs deviate from the intent or objectives of CNSC requirements, to the extent that there is a moderate risk that the programs will ultimately fail to achieve expectations for the maintenance of health, safety, security, environmental protection, or conformance with international obligations to which Canada has agreed. Although the risk of failing to meet regulatory requirements in the short term remains low, improvements in performance or programs are required to address identified weaknesses. The licensee or applicant has taken, or is taking appropriate action.

D - Significantly below requirements

Assessment topics or programs are significantly below requirements, or there is evidence of continued poor performance, to the extent that whole programs are undermined. This area is compromised. Without corrective action, there is a high probability that the deficiencies will lead to an unreasonable risk to the maintenance of health, safety, security, environmental protection, or conformance with international obligations to which Canada has agreed. Issues are not being addressed effectively by the licensee or applicant. The licensee or applicant has neither taken appropriate compensating measures nor provided an alternative plan of action.

E - Unacceptable

Evidence of an absence, total inadequacy, breakdown, or loss of control of an assessment topic or a program. There is a very high probability of an unreasonable risk to the maintenance of health, safety, security, environmental protection, or conformance with international obligations to which Canada has agreed. An appropriate regulatory response, such as an order or restrictive licensing action has been or is being implemented to rectify the situation.

N/A - Not applicable

N/C - Not checked