



Circle Systems, Inc.

CERTIFICATE OF COMPLIANCE

Product: **Sir-Chem® Dry Powder 68 - Blue**
Batch Number: **23701**
Date of Manufacture: **December 11, 2025**
Shelf Life Expiration: **December 10, 2030**

We hereby certify that the material identified above has been analyzed in accordance with the latest revisions of the following specifications and meets or exceeds all of their requirements:

1. ASTM E 709
2. NTR-1E
3. MIL-STD-2132 (SH)
4. MIL-STD-1949
5. AMS 3040
6. NAVSEA 250-1500-1
7. T9074-AS-GIB-010/271 (MIL-STD-271 SH)
8. ASTM E 3024
9. ASME SE-709, B&PV CODE, SECTION V, ARTICLE 7 & ARTICLE 25
10. API RP 5A5

We further certify that this product does not contain mercury or any other heavy metals as basic elements. Furthermore, no equipment bearing such substances is used in its manufacture.

Additionally, we certify a shelf life of five years from the date of manufacture on the product shown above when stored in a clean and dry area, away from extreme heat or cold.

Copies of this certification and specific laboratory test reports are on file in our office for your inspection.

CIRCLE SYSTEMS, INC.

Lucas Landreth
Quality Assurance Asst.