

# Model 500-1

## Pulse Generator with Digital & Analog Display



Ludlum Measurements, Inc.

### Features

- Provides the Functions Required to Calibrate Scaler/Ratemeter Radiation Detection Instruments
- Three-Digit LED Display for Output Pulse Rate
- Analog Readout for Pulse Amplitude
- Four-Digit LED Display for High Voltage of Tested Instrument



### Specifications

Part Number: 48-1166

**INDICATED USE:** pulse calibration of radiation detection instruments

**HIGH VOLTAGE:** digital readout

Display Type: four-digit LED

Total Range: 0–1999Vdc

Linearity:  $\pm 5\%$  of true value

**PULSE RATE:** digital readout, three-digit LED display reads from 10–990 counts

Total Range: 1–9,900,000 cpm

Accuracy: within 2% of true value

Controls: fine and coarse adjustment knobs

Multiplier Switch: x0.1, x1, x10, x100, x1k, x10k

**PULSE AMPLITUDE:** analog readout

Meter Dial: 6.4 cm (2.5 in.) arc, 1 mA movement

Scale: 0–5

Total Range: 0 mV–5 Vdc (positive and negative polarity selectable)

Accuracy: within 10% of true value

Controls: LO/HI potentiometer

Range Switch: 0–5 mV, 0–50 mV, 0–500 mV, 0–5 V

**PULSE POLARITY:** positive/negative selector switch

Negative Pulse: pulse width typically 7.0 microseconds

Leading Edge: 0.3 microseconds

Pulse Width: 1.7 microseconds

Trailing Edge: 5.0 microseconds

Positive Pulse: pulse width less than 2.25 microseconds

**PULSE OUTPUT:** standard "C" type connector, a "C" type cable is supplied with the instrument

**INCLUDED ACCESSORIES:** Series "C" to "BNC" and "C" to "MHV" adapters are provided

**ENVIRONMENTAL:** indoor use, no maximum altitude, temperature range -20 to 50 °C (-4 to 122 °F), < 95% humidity (non-condensing)

**POWER:** 115 Vac, 50–60 Hz at less than 20 volt-amperes, front-panel On/Off switch with accompanying red LED indicator

**SIZE:** 21.6 x 29.2 x 24.1 cm (8.5 x 11.5 x 9.5 in.) (H x W x D)

**WEIGHT:** 4.1 kg (9 lb)

### Other Versions of the Model 500-Series Pulse Generators

Model 500: Analog display for the HV and Pulse Amplitude with Digital readout of the Pulse Rate

Model 500-2: Digital display for the HV, Pulse Rate, and Pulse Amplitude

Ludlum Measurements, Inc. P.O. Box 810, Sweetwater, Texas 79556

Web: <http://www.ludlums.com> Tel: 800-622-0828 / 325-235-5494 / Fax: 325-235-4672 / Email: [sales@ludlums.com](mailto:sales@ludlums.com)

Note: specifications subject to change without notification. We are not responsible for errors or omissions.

Oct 2012